

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	730	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole) and (calibrat\$3 test \$3 correct\$3) near3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L2	2	("2004/0113609").URPN.	USPAT	OR	ON	2008/03/31 06:27
L3	31	("2519094" "20010038287" "4119847" "4409480" "4439831" "4876511" "4945233" "5159577" "5293128" "6218842" "6393364" "6476609" "6534985").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L4	42	(HOMAN-DEAN-M).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L5	5	("5293128").URPN.	USPAT	OR	ON	2008/03/31 06:27
L6	5	("4439831" "4780678" "4849699" "4876511" "5001675").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 06:27
L7	5911	324/334-343,344,346,351,355,356,368, ccls. 702/6,7,11,12,13.ccls. 175/40,45,50, ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L8	227	L7 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L9	730	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole) and (calibrat\$3 test \$3 correct\$3) near3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L10	51	L8 not L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L11	445	324/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27

L12	126	L11 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L13	126	L12 not L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L14	119	L13 not L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L15	36	L7 and (correct\$3 compensat\$3) near3 (signal induc\$5 output) and compar\$3 with model\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L16	8	L7 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding) with (angle degree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L17	730	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole) and (calibrat\$3 test \$3 correct\$3) near3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L18	42	(HOMAN-DEAN-M).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L19	5	("5293128").URPN.	USPAT	OR	ON	2008/03/31 06:27
L20	5	("4439831" "4780678" "4849699" "4876511" "5001675").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 06:27
L21	2	("2004/0113609").URPN.	USPAT	OR	ON	2008/03/31 06:27
L22	31	("2519094" "20010038287" "4119847" "4409480" "4439831" "4876511" "4945233" "5159577" "5293128" "6218842" "6393364" "6476609" "6534985").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L23	5911	324/334-343,344,346,351,355,356,368, ccls. 702/6,7,11,12,13.ccls. 175/40,45,50, ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27

L24	227	L23 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L25	730	(bore\$1 hole bore adj hole well\$1 bore well adj bore down\$1 hole) and (calibrat\$3 test \$3 correct\$3) near3 (loop coil winding antenna)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L26	51	L24 not L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L27	445	324/202.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L28	126	L27 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L29	8	L23 and (test\$3 calibrat\$3 correct\$3) near3 (loop antenna coil winding) with (angle degree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L30	126	L28 not L26	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L31	119	L30 not L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L32	36	L23 and (correct\$3 compensat\$3) near3 (signal induc\$5 output) and compar\$3 with model\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L33	444	(test\$3 calibrat\$3) near3 (loop coil winding) and (bore\$1 hole bore adj hole well\$1 bore well adj bore down\$1 hole logging adj tool)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L34	597	L23 and (gain phase) same (calibrat\$3 correct\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27

L35	10	L23 and (gain phase) same (calibrat\$3 correct\$3) same (multiply multiplication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L36	12	L23 and (calibrat\$3 correct\$3) with (multiply multiplication)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L37	1685	324/202,333,338,339,343,346.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:27
L38	6346	324/202,334-343,344,346,351,355,356,368.ccls. 702/6,7,11,12,13.ccls. 175/40,45,50.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 06:59
L41	271	38 and (calibrat\$5 correct\$5 compensat\$5) near\$5 compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:01
L42	134391	(bore\$1hole bore adj hole well\$1bore well adj bore down\$1hole logging near\$3 tool)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:06
L43	967	42 and (calibrat\$5 correct\$5 compensat\$5) near\$5 compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:07
L44	566	38 and (calibrat\$5 compensat\$5 correct\$5 test\$5) near\$5 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:17
L45	5	("4439831" "4780678" "4849699" "4876511" "5001675").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/31 07:22
L46	5	("5293128").URPN.	USPAT	OR	ON	2008/03/31 07:22
L47	1267	42 and (calibrat\$5 compensat\$5 correct\$5 test\$5) near\$5 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:25
L48	956	47 not 44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:26

L49	370	702/7.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:35
L51	225	38 and (gain phase) same (correct\$5 compensat\$5 calibrat\$5) same compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:40
L52	578	42 and (gain phase) same (correct\$5 compensat\$5 calibrat\$5) same compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:42
L53	433	52 not 51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:42
L54	42	(HOMAN-DEAN-M).in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:55
L55	246	324/224.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:56
L56	10	55 and (calibrat\$5 correct\$5 compensat\$5) near\$5 compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:59
L57	67	55 and (calibrat\$5 compensat\$5 correct\$5 test\$5) near\$5 (loop antenna coil winding)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 07:59
L58	10	55 and (gain phase) same (correct\$5 compensat\$5 calibrat\$5) same compar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 08:00

3/31/2008 8:37:48 AM

C:\Documents and Settings\dschindler\My Documents\EAST\Workspaces\10616710\A2.wsp